



A flexible, reinforcing waterproofing mesh membrane for use with FixChem Waterproofing. Stitchbond bridges existing cracks and reinforces surfaces likely to experience hairline cracks. Available

sizes: 100mm x 5m,10m x 100mm,10m x 200mm,

10m x 500mm, 10m x 1m, 20m x 1m



## Spirit Of Salts—Available in 1L, 5L, 20L

**Etching and cleaning of concrete surfaces. Used to remove cement slurry from various** building tools and masonry. Rust removal.



## Tile Key

Available in 1L, 5L, 20L

Tile key is a ready to use acrylic latex admixture to tile grouts and tile adhesives. It improves adhesion and improves water resistance.



#### **Plasta-Mix**


Available in 1L, 5L, 20L

Ready to use acrylic keying agent that increases bond strength to adhesives. As an admixture in plaster and cement it improves adhesion and improves water resistance.



## Tile Bond-It — Available in 1L, 5L, 20L

Latex based liquid primer and keying agent formulated for the use with cement based tile adhesive, grout and slurries.



SIZES: 10m x 1m **BULK ROLLS:** 1.3m x 150m 1.7m x 150m



## **Coverall Light Grey**

A membrane for use with Shower-flex to waterproof retaining walls, shower floors and walls, balcony and veranda floors under tiles and reservoirs.

Sizes: 1m x 1m, 1m x 5m, 1m x 10m,

1m x 20m, 100m roll



## **Showerflex**

Shower-flex is an acrylic based emulsion, when mixed with water and cement it forms an effective waterproofing slurry with high strength and abrasion resistance.



# FixChem

FixChem waterproofing is a flexible acrylic emulsion coating. The application forms a fully bonded, durable and flexible waterproofing layer. Available in 5L

Black, grey, burgundy, red and green



## Bonding Liquid Available in 1L, 5L, 20L

High performance water based keying agent, used as surface treatment as well as admixture. It improves adhesion of cement and Gypsum plaster to smooth surfaces, face brick, plaster board, painted surfaces



#### **Gyp-Gripp**

Available in 1L, 5L, 20L



Used as a primer to improve bonding of Gypsum plaster to pre-painted and concrete surfaces.

Coverage: 8 sq per litre



## Tile Key Cote

Available in 1L, 5L, 20L

Latex based liquid additive formulated for the use of cement based tile adhesive and grout and slurries.



# About

Coverall is a leading provider of high-quality waterproofing solutions for various industries and applications. Established in 2012, we have emerged as a trusted name in the waterproofing industry, offering an extensive range of innovative products and exceptional services to protect structures from water damage effectively. With a commitment to excellence and customer satisfaction, we strive to be the preferred choice for all waterproofing needs.

Our mission is to deliver cutting-edge waterproofing products and solutions that protect and enhance the longevity of structures while building enduring relationships with our customers based on trust and mutual growth.

#### Why Choose Coverall Waterproofing Supplies:

- 1. Quality Assurance: All our products undergo rigorous testing to meet industry standards and ensure exceptional performance.
- 2. Innovation: We stay at the forefront of waterproofing technology, continuously researching and developing new and improved solutions.
- 3. Customer-Centric Approach: Our focus on understanding customer needs allows us to deliver customized solutions that address specific waterproofing challenges.
- 4. Experienced Team: Our team comprises skilled professionals with extensive knowledge in waterproofing, providing unparalleled expertise and service.
- 5. Reliable Partnerships: We collaborate with reputable manufacturers and suppliers, ensuring a steady supply of top-grade products.
- 6. Sustainable Solutions: Coverall is committed to offering eco-friendly and sustainable waterproofing options to support environmentally conscious practices.



082 608 4437 (JHB)



COVERALLSUPPLIER.CO.ZA



UNIT, 2 MLT HOUSE, 6 BRUNING ROAD, JACOBS, BLUFF



HTTPS://WWW.INSTAGRAM.COM/COVER ALLSUPPLIER



SALES@COVERALLSUPPLIER.CO.ZA

